76 . 4)23/8U (ETD) 4/24/80-

and the second of the second o

2009 Churchil Read, Springris.L, Macic 3070.

217/782-2113

Permit Expiration Date: April 21, 1982

Application No.: 72110543

I.O. No.: 119050AAA DIST HDS

Received: March 27, 1980

Operation of: Distillate HDS Unit

Location: Post Office Box 7, Hartford, Illinois

April 23, 1980

Clark Oil & Refining Corporation Wood River Refinery Post Office Box 7 Hartford, Illinois 62048

Attention: Robert H. Bruggink

Gentlemen:

Permit is hereby granted to operate the above-referenced equipment.

This permit is subject to the following conditions:

- 1. Standard conditions attached hereto and incorporated herein by reference.
- 2. The following special conditions:
 - a. Operation is allowed during malfunction and breakdown provided:
 - 1. The permittee shall immediately notify the Agency's regional office:

Environmental Protection Agency Division of Air Pollution Control 115A West Main Street Collinsville, Illinois 62234

by phone of any malfunction of any component of the permittee's sulfur recovery system which may result in a violation of the sulfur dioxide regulations. This shall include Shell Oil's inability to supply the permittee with adequate lean DEA for hydrogen sulfide scrubbing.

EPA Region 5 Records Ctr.

295828

RECEIVED

JAN 0:5 1981

E.P.A. — D.I P.C. STATE OF ILLINDIS

- 2. Whenever the Shell sulfur plant has not recovered at least 75% of the total sulfur available from Shell, Amoco and the permittee, for a four hour period, the permittee shall institute SO₂ emission reduction procedures. The procedures shall reduce SO₂ emissions by 0.25 to 0.375 ton/hr. These procedures shall include:
 - Substituting low sulfur oil and LPG for high sulfur #6
 oil in the refinery heaters, and
 - 2. Any other reasonable actions to reduce emissions.

If you have any questions concerning this permit, please contact Harish Desai at 217/782-2113.

Very truly yours,

Bharat Mathur, P.E. Manager, Permit Section Division of Air Pollution Control

BM:HBD:sh/1654B/12-13